

# Classes and Objects: Intro

---

**CPSC 219: Introduction to Computer Science for Multidisciplinary  
Studies II  
Fall 2023**

Jonathan Hudson, Ph.D.  
Instructor  
Department of Computer Science  
University of Calgary

**Thursday, 5 October 2023**

*Copyright © 2023*



# What is an object/class

---

- **Object-oriented programming**
  - **Objects** describe what is important in your application.
- In **Java**, a programmer describes what a **class** is (a template).
- A **class describes a set of objects with the same behavior.**
  - For example, the **String** class describes the behavior of **all strings**.
  - We call each individual **string** as an instance of the class **String**

# What is an object/class


---

- A **class** **describes** a **set of objects with the same behavior**.
  - For example, the **String** class describes the behavior of **all strings**.
  - We call each individual **string** as an instance of the class **String**
- **Ex. Scanner scanner = new Scanner(System.in)**
- **Scanner** is the **class description (and the type)**
- **scanner** is an instance of **Scanner**

# Class and Objects

## Class

- A template that describes:
  - Fields (variables)
  - Methods (functions) operating on the data in the fields



## Objects

- Instances of that class which take on different forms



# Basics

---

# Constructing an Object from a Class

---

- Variables of a class store pointers to objects (instances) of that class
- The process of creating an instance of an object is called instantiation/construction.

- Format:

`<name of the class> <object name> = new <name of the class> ()`

- Example:

`Student student1 = new Student()`

- The instantiation allocates memory space for the data fields and then associates the address with the object name

# Static?

---

- Each class has **methods/fields** we can access
  - Methods are functions connected to a specific class
- Methods/variables **without static** are **object methods/fields**
  - They are specific to internal data of each **instance** of the class
- **static** methods/variables are **Class methods/ fields**
  - They are shared by all instances of that classes

# Static?

---

- Each class has **methods/fields** we can access
  - Methods are functions connected to a specific class
- Methods/variables **without static** are **object methods/fields**
  - They are specific to internal data of each **instance** of the class
  - **THESE ARE NEW TO US**
- **static** methods/variables are **Class methods/fields**
  - They are shared by all instances of that classes
  - **WE'VE ONLY BEEN CREATING THESE PREVIOUSLY**
  - `public static void main(String[] args)` is an example of this



## . (in context of)

---

- The **dot** tells Java we want to access a function/method of the particular object/class
- `Double.parseDouble(String s)` is a class method of Double class (static!)
- `Double.NaN` is a class constant (static! and final!)
- `scanner.nextLine()` is a object method for a scanner instance
- `array.length` is an object constant (final!)

# . (in context of)

---

- The **dot** tells Java we want to access a function/method of the particular object/class

- Double.parseDouble(String s) `public static double parseDouble(String s) throws NumberFormatException {`

- Double.NaN

```
/**  
 * A constant holding a Not-a-Number (NaN) value of type  
 * {@code double}. It is equivalent to the value returned by  
 * {@code Double.longBitsToDouble(0x7ff8000000000000L)}.  
 */
```

- scanner.nextLine()

```
public static final double NaN = 0.0d / 0.0;
```

- array.length

```
public String nextLine() {
```

```
/** The count is the number of characters in the String. */  
private final int count;
```

# Decisions in Object Design

---

## 1. Encapsulation

- What is object representing? How is one object unique from another?

## 2. Data

- Looking at what the object encapsulates, how do we capture that information. (vars)

## 3. Methods

- How do we create a new object? (constructors)
- What information about the object do we share? (private/public access)
- How do we manipulate the information within the object? (accessors/mutators)

## 4. Identity

- How can we tell if two instances of the objects are equal? (equals/compareTo)

# Naming/Purpose

---

# Choosing Classes

---

- A class represents a single concept from the problem domain
- Name for a class should be a noun that describes concept
- **Concepts from mathematics:**
  - Point
  - Rectangle
  - Ellipse
- **Concepts from real life**
  - BankAccount
  - CashRegister

# Choosing Classes

---

- **Actors** (end in -er, -or)—objects do some kinds of work for you
  - Scanner
  - Random
- **Utility classes**—no objects, only static methods/constants (Helpers)
  - Math
- **Program starters:** only have a main method
- **Don't turn actions into classes:**
  - Paycheck is better name than ComputePaycheck

# Create A Class

---

# Let's Create A Class

---

Tally counter –  
What do we know about it?





# Let's Create A Class

---

Tally counter –

1. View count
2. Add 1 to count
3. Reset count to 0

I need to store some sort of integer data for the tally. Any other data?



# Let's Create A Class

---

What if we were using a tally counter in Java?

Let us make a new one

```
Counter tally = new Counter();
```

Now how would we use it

```
System.out.println(tally.getCount());
```

```
tally.count();
```

```
System.out.println(tally.getCount());
```

```
tally.reset();
```

```
System.out.println(tally.getCount());
```



# Let's Create A Class

---

```
public class Counter{  
    //How do I create a counter?  
    //Special function called Constructor  
}
```



# Let's Create A Class

---

```
public class Counter{  
    //How do I create a counter?  
    public Counter(){  
    }  
}
```



# Let's Create A Class

---

How do we store data in classes?

```
public class Counter{  
    static int var1;           //Class variable  
    int var2;                 // object/instance variable  
    static final int VAR1 = 1; //Class constant  
    final int VAR2 = 2;       //instance constant  
                               //(not overly useful versus class constant)  
}
```

# Let's Create A Class

---

How do we store data in classes?

```
public class Counter{  
    static int var1;    //shared for every Counter  
  
    int var2;    // unique to each  
    // tally counter  
}
```



# Let's Create A Class

---

```
public class Counter{  
    int count;  
    public Counter(){  
    }  
}
```

Instance variables that aren't initialized in the constructor will default to Java's default value (like arrays did).

So int will be count = 0;



# Let's Create A Class

---

```
public class Counter{
    int count = 0;
    public Counter(){
    }
}
```

```
public class Counter{
    int count;
    public Counter(){
        count = 0;
    }
}
```

```
public class Counter{
    int count;
    public Counter(){
        this.count = 0;
    }
}
```

```
public class Counter{
    int count; //default 0 will be assigned
    public Counter(){
    }
}
```



# Object Scope!

---

## **this.**

Tells Java we mean instance variable

Technically unnecessary unless we have used the same name for other function variables

```
public void setCount(int count) {  
    count = count; //BROKEN  
}
```

```
public void setCount(int count) {  
    this.count = count;  
}
```



# Let's Create A Class

---

```
Counter tally = new Counter();  
  
System.out.println(tally.getCount());  
tally.count();  
tally.reset();
```

For these method calls **tally** is known as the **implicit parameter**

While any parameters passed inside the ellipses (...) are **explicit parameters**

Whatever object **instance** was **tally**. when the call was made becomes referenced by **this**. Inside the class method definitions

# Let's Create A Class

---

```
public class Counter{  
    int count;  
    public Counter(){  
        this.count = 0;  
    }  
    //View count  
    //Add 1 to count  
    //Reset count to 0  
}
```



# Let's Create A Class

---

```
public class Counter{
    private int count;
    public Counter(){
        this.count = 0;
    }
    public int getCount(){
        return this.count;
    }
    public void count(){
        this.count = this.count+1;
    }
    public void reset(){
        this.count=0;
    }
}
```



# Let's Create A Class

---

```
public class Counter{
    private int count;
    public Counter(){
        this.count = 0;
    }
    public int getCount(){
        return this.count;
    }
    public void count(){
        this.count = this.count+1;
    }
    public void reset(){
        this.count=0;
    }
}
```

For java methods/variables

**public** – any other code can access

**private** – only internal class access

count is an **instance variable**

one count var exists for each new Counter()

**Instance variables should be private**

Access/Modification via instance methods

**Most instance methods are public** (unless they shouldn't be used externally)

# Let's Create A Class

---

```
public class Counter{
    private int count;
    public Counter(){
        this.count = 0;
    }
    public int getCount(){
        return this.count;
    }
    public void count(){
        this.count = this.count+1;
    }
    public void reset(){
        this.count=0;
    }
}
```

## When private

```
Counter tally = new Counter();
tally.count();
tally.getCount(); //Gives us 1
```

## If count was public?

```
Counter tally = new Counter();
tally.count = 500; //allowed now
tally.count();
tally.getCount(); //Gives us 501
```

# Constructors

---



# Constructor Overloading

```
public class Counter{  
    private int count;  
    public Counter(){  
        this.count = 0;  
    }  
    public Counter(int alreadyCounted) {  
        this.count = alreadyCounted;  
    }  
}
```

```
Counter tally1 = new Counter();  
Counter tally2 = new Counter(tally1.getCount());
```

We can **overload** a constructor (same name, different parameters)

We now can make a new object through different means



# Constructors

---

If you do not initialize an instance variable in a constructor it is automatically set to a default value:

- Numbers are set to zero. (base types, not Objects)
- Boolean variables are initialized as false. (base types, not Objects)
- Object and array references are set to the special value **null** that indicates that no object is associated with the variable.
  - This is often not desirable

# Informative Printing

---

# Printing

---

Every object shares as a base starting point

<https://docs.oracle.com/javase/8/docs/api/java/lang/Object.html>

Which has a instance method **public String toString()**

Which has a default print for every object

**getClass().getName() + '@' + Integer.toHexString(hashCode())**

We can replace this with our own String (**@Override is recommended**)

```
@Override
public String toString() {
    return "Counter{" +
        "count=" + count +
        '}';
}
```

# Public Interface

---

# Public Interface

---

What developers can see about your class  
often packaged up as API (Javadoc)

- Public variables/constants
- Public Constructors
- Public Accessors
- Public Mutators

Expose only what is necessary

# Public Interface

java.lang includes System.java where System.out is a PrintStream

```
public final static PrintStream out = null;
```

We can look at the **public interface** for PrintStream at

<https://docs.oracle.com/en/java/javase/11/docs/api/java.base/java/io/PrintStream.html>

The internal details may be unknown (**private implementation**)

<code>PrintStream(File file)</code> Creates a new print stream, without automatic line flushing, with the specified file.	void	<code>println(int x)</code> Prints an integer and then terminate the line.
<code>PrintStream(File file, String csn)</code> Creates a new print stream, without automatic line flushing, with the specified file and charset.	void	<code>println(long x)</code> Prints a long and then terminate the line.
<code>PrintStream(OutputStream out)</code> Creates a new print stream.	void	<code>println(Object x)</code> Prints an Object and then terminate the line.
<code>PrintStream(OutputStream out, boolean autoFlush)</code> Creates a new print stream.	void	<code>println(String x)</code> Prints a String and then terminate the line.

# Onward to ... Design

---

Jonathan Hudson  
[jwhudson@ucalgary.ca](mailto:jwhudson@ucalgary.ca)  
<https://pages.cpsc.ucalgary.ca/~jwhudson/>



UNIVERSITY OF  
CALGARY