Load Balancing Guardrails


Keeping Your Heavy Traffic on the Road to Low Response Times

Isaac Grosof (CMU)

Ziv Scully (CMU)


Mor Harchol-Balter (CMU)


Goal: Optimal Load Balancing



Assumptions:
Stochastic Arrivals
Known Sizes
Preempt-Resume

Prior Work on Dispatching





Prior Work on Dispatching - FCFS

Join-Shortest-Queue (JSQ): Winston, Weber, Whitt, Lin, Raghavendra, Foley, McDonald, Bramson, Lu, Prabhakar, Eschenfeldt, Gamarnik, ...


Join-Shortest-of-d-Queues (JSQ-d):

Vvedenskaya, Dobrushin, Karpelevich, Mitzenmacher, Bramson, Ying, Srikant, Kang, Muckherjee, Borst, Leeuqaarden, ...

Least-Work-Left (LWL): Lee, Longton, Kingman, Takahashi, Daly, Tijms, Van Hoorn, Ma, Mark, Breur, Hokstad, Kimura, Gupta, Harchol-Balter, Dai, Zwart, Osogami, Whitt, ...

Size-Interval-Task-Assignment (SITA):

Harchol-Balter, Crovella, Murta, Bachmat, Sarfati, Vesilo, Scheller-Wolf, ...



Prior Work on Dispatching - SRPT


SRPT: Very little prior work Dispatcher SRPT


Random dispatch: Trivial

First Policy Iteration (FPI) Heuristic [Hyytiä & Aalto '12]


Multilayered Round Robin [Down & Wu '06]


Good for FCFS $\stackrel{?}{\Rightarrow}$ Good for SRPT






Distribution:
Bounded Pareto
[1, 10^6], α =1.5.
10 servers





Distribution:
Bounded Pareto
[1, 10^6], α =1.5.
10 servers

Our Contribution: Guardrails




Possibly

very

bad

Guaranteed heavy traffic optimal

Our Contribution: Guardrails





Possibly

very

bad


Guaranteed heavy traffic optimal






Distribution:
Bounded Pareto
[1, 10^6], α =1.5.
10 servers


Dispatching to SRPT Servers




Dispatching to SRPT Servers




Dispatching to SRPT Servers





Problem: Small Job Imbalance





Problem: Small Job Imbalance


























Guardrails: Bucketing



Guardrails: Bucketing



Guardrails: Bucketing



Precise Dispatching Requirement

Job of size x has rank $r \leftrightarrow x \in [c^r, c^{r+1})^*$

 $V_i^r(t)$ = Volume of rank r work dispatched to server i by time t.

Guardrail requirement:

 \forall ranks r, \forall servers i, j, \forall times t,

$$|V_i^r(t) - V_j^r(t)| \le c^{r+1}$$

^{*} c is chosen as a function of load ρ .

The Guardrail Theorem

