Lecture #3: DFA Design and Verification — Part One Lecture Presentation

Review of Preparatory Material

Problems To Be Solved

1. Once again, let $\Sigma = \{a, b\}$ and let

 $L = \{ \omega \in \Sigma^* \mid \text{either } \omega \text{ does not include an "a" or } \omega \text{ does not include a "b"} \}.$

Recall that, when designing a deterministic finite automaton for L, we considered a pair of sets:

$$S_0 = L = \{ \omega \in \Sigma^* \mid \text{either } \omega \text{ does not include an "a" or } \omega \text{ does not include a "b"} \}$$

and

$$S_1 = \Sigma^{\star} \setminus L = \{ \omega \in \Sigma^{\star} \mid \omega \text{ includes both an "a" and a "b"} \}.$$

We were trying to design a deterministic finite automaton $M = (Q, \Sigma, \delta, q_0, F)$, whose language is L, such that $Q = \{q_0, q_1\}$ — and such that

$$S_0 = \{ \omega \in \Sigma^\star \mid \delta^\star(q_0, \omega) = q_0 \} \qquad \text{and} \qquad S_1 = \{ \omega \in \Sigma^\star \mid \delta^\star(q_0, \omega) = q_1 \}.$$

Unfortunately, this attempt was not successful — because we discovered that the transition out of state q_0 for the symbol "a" was not well-defined.

In order to consider a transition out of state q_0 for the symbol "b", we must consider the set

$$\{\omega \cdot \mathbf{b} \mid \omega \in S_0\}.$$

Let $\omega \in S_0$. Then three cases might arise.

- (a) Case: ω does not include any a's or any b's.
- (b) Case: ω includes at least one "a" but does not include any b's.
- (c) Case: ω includes at least one "b" but does not include any a's.
- (a) Case: ω does not include any a's or any b's:

(b) Case: ω includes at least one "a" but does not include any b's:

(c) Case: ω includes at least one "b" but does not include any a's:

Conclusion:

This will be considered further in the preparatory material for Lecture #4.

2. Once again, let $\Sigma = \{a, b\}$ and consider the language

$$L = \{ \omega \in \Sigma^* \mid \omega \text{ ends with abb} \}.$$

Let us try to use the design process, introduced in the preparatory material, to design a deterministic finite automaton (with alphabet Σ) whose language is this language, L.

What Must the DFA Remember?

Representation Using Subsets of Σ^{\star}

Initial Sanity Checks

Identifying Transitions

What Went Wrong: Which Transition was not Well-Defined? Why?