

CPSC 351 — Tutorial Exercise #15

Hint for the Problem in This Exercise

1. Consider the following decision problem.

The Rejection Problem

Instance: A Turing machine

$$M = (Q, \Sigma, \Gamma, \delta, q_0, q_{\text{accept}}, q_{\text{reject}})$$

and an input string $\omega \in \Sigma^*$ for M .

Question: Does M **reject** M ?

Let us use the same alphabet Σ_{TM} and encoding for Turing machines and input strings as in Lecture #13, so that the language decidable language $\text{TM+I} \subseteq \Sigma_{\text{TM}}^*$, introduced in that lectures, is the *language of instances* of this decision problem. Let $\text{Reject}_{\text{TM}} \subseteq \text{TM+I}$ be the *language of Yes-instances* of this decision problem.

You were asked to prove that the Rejection Problem is undecidable — that is, prove that the above language, $\text{Reject}_{\text{TM}}$, is undecidable.

Hint: Let $M = (Q, \Sigma, \Gamma, \delta, q_0, q_{\text{accept}}, q_{\text{reject}})$ be a Turing machine. How could you make a *very simple* change, in order to produce another Turing machine

$$\widehat{M} = (Q, \Sigma, \Gamma, \widehat{\delta}, q_0, q_{\text{accept}}, q_{\text{reject}})$$

such that M rejects ω if and only if $\widehat{M}$ **accepts** ω , for *every* string $\omega \in \Sigma^*$?

Some of the changes that have been used, in other examples, are approximately as simple as the change that is needed here. Others are *more complicated* than the change that is needed here.