

Loops In Pascal

In this section of notes you will learn how to rerun parts of your program without having to duplicate your code.

James Tam

The Need For Repetition (Loops)

Writing out a simple counting program (1 – 3).

The full text-only program can be found in Unix under
`/home/231/examples/repetition/counting.p`:

program counting (output);

begin

 writeln('1');

 writeln('2');

 writeln('3');

end.

James Tam

The Need For Repetition (2)

Simple program but what if changes need to be made?

- Need to re-edit source code and re-compile program?

What if you need the program to count many times?

James Tam

Basic Structure Of Loops

- 1) Initialize the control
 - a) Control – typically a variable that determines whether or not the loop executes or not.
- 2) Testing the control against a condition
- 3) Executing the body of the loop
- 4) Update the value of the control

James Tam

Types Of Loops

Pre-test loops

1. Initialize control
2. Check if a condition is met (using the control in some Boolean expression)
 - a) If the condition has been met then continue on with the loop (go to step 3)
 - b) If the condition is not met then break out of the loop (loop ends)
3. Execute the body of the loop
4. Update the value of the control
5. Repeat step 2

General characteristics

- The body of the loop executes zero or more times
- Execute body only if condition is true
- Examples: while-do, for

James Tam

Types Of Loops (2)

Post-test loops

1. Initialize control
2. Execute the body of the loop
3. Update the value of the control
4. Check if a condition is met (using the control in some Boolean expression)
 - a) If the condition has been met then break out of loop (loop ends)
 - b) If the condition hasn't been met then continue on with loop (go to step 2)

General characteristics

- The body of the loop executes one or more times
- Execute body only if condition is false
- Examples: repeat-until

James Tam

Pre-Test Loop: While-Do

Can be used if the number of times that the loop executes is not known in advance.

Format:

```
while (Boolean expression) do
    body
```

Example (Full text-only version can be found in Unix under /home/231/examples/repetition/whileDo.p)

```
i = 1;
while (i <= 5) do
begin
    writeln('i = ', i);
    i := i + 1;
end; (* while *)
```

James Tam

Pre-Test Loop: While-Do

Can be used if the number of times that the loop executes is not known in advance.

Format:

```
while (Boolean expression) do
    body
```

Example (Full text-only version can be found in Unix under /home/231/examples/repetition/whileDo.p)

```
i = 1; ← 1) Initialize control
while (i <= 5) do ← 2) Check condition
begin
    writeln('i = ', i); } ← 3) Execute body
    i := i + 1; }
end; (* while *) ← 4) Update control
```

James Tam

Tracing The While Loop

Variables

i

Execution

./a.out

James Tam

Pre-Test Loop: For

Typically used when it is known in advance how many times that the loop will execute (counting loops).

Format (counting up):

```
for initialize control to final value do  
  body
```

Format (counting down):

```
for initialize control downto final value do  
  body
```

James Tam

First For Loop Example

Example one (A compilable text-only version can be found in Unix under /home/231/examples/repetition/forLoopUp.p)

```
begin
  var i, total : integer;
  total := 0;
  for i := 1 to 5 do
    begin
      total := total + i;
      writeln('i=', i, 'total=', total);
    end; (* for *)
  end.
```

James Tam

First For Loop Example

Example one (A compilable text-only version can be found in Unix under /home/231/examples/repetition/forLoopUp.p)

```
begin
  var i, total : integer;
  total := 0;
  for i := 1 to 5 do
    begin
      total := total + i;
      writeln('i=', i, 'total=', total);
    end; (* for *)
  end.
```

1) Initialize control

2) Update control

3) Test condition

4) Execute body

James Tam

Tracing The First For Loop Example

Variables	Execution
i total	./a.out

James Tam

Second For Loop Example

Example one (A compilable text-only version can be found in Unix under /home/231/examples/repetition/forLoopDown.p)

```
begin
  var i, total : integer;
  total := 0;
  for i := 5 downto 1 do
    begin
      total := total + i;
      writeln('i=', i, ' total=',total);
    end; (* for *)
  end.
```

James Tam

Tracing The Second For Loop Example

Variables	Execution
i total	./a.out

James Tam

Post Test Loops: Repeat-Until

Used instead of a while-do loop if you need the loop to execute at least once.

Format:

repeat

 body

until (*Boolean expression*);

James Tam

Repeat-Until: An Example

A compilable version of this example can be found in Unix under:
/home/231/examples/repetition/guzzlingGame.p

James Tam

Repeat-Until: An Example (2)

```
repeat
  answer := random(10);
  write('Enter your guess: ');
  readln(guess);
  if (guess = answer) then
    writeln('You guessed correctly!')
  else
    writeln('You guessed incorrectly');
  writeln('Number was ', answer, ', your guess was ', guess);
  write('Play again? Enter "N" or "n" to quit or anything else to ');
  writeln('continue');
  write('Choice: ');
  readln(choice);
  writeln;
until (choice = 'N') OR (choice = 'n');
```

James Tam

Repeat-Until: An Example (2)

repeat

```
    answer := Random(10);
    write('Enter your guess: ');
    readln(guess);
    if (guess = answer) then
        writeln('You guessed correctly!')
    else
        writeln('You guessed incorrectly');
        writeln('Number was ', answer, ', your guess was ', guess);
        write('Play again? Enter "N" or "n" to quit or anything else to ');
        writeln('continue');
        write('Choice: ');
        readln(choice);
        writeln;
until (choice = 'N') OR (choice = 'n');
```

1) Execute body

2) Update control

3) Test condition

James Tam

Infinite Loops

Loops that never end (the stopping condition is never met).

Infinite loops can be caused by logical errors:

- The loop control is never updated (Example 1 – below).
- The updating of the loop control never brings it closer to the stopping condition (Example 2 – next slide).

Example 1 (a text only version can be found in Unix under /home/231/examples/repetition/infinite1.p)

```
i := 1;
while (i <= 10) do
    writeln('i=', i);
    i := i + 1
```

To stop a program with an infinite loop in Unix simultaneously press the <ctrl> and the <c> keys

James Tam

Infinite Loops (2)

Example 2 (a text-only version can be found in Unix under /home/231/examples/repetition/infinite2.p)

```
i := 10;
while (i > 0) do
begin
  writeln('i = ', i);
  i := i + 1;
end;
```

To stop a program with an infinite loop in Unix simultaneously press the <ctrl> and the <c> keys

James Tam

Nested Loops

One loop executes inside of another loop(s).

Example structure:

Outer loop (runs n times)

 Inner loop (runs m times)

 Body of inner loop (runs n x m times)

Example program (complete text-only program can be found in Unix under:

/home/231/examples/repetition/nested.p)

```
for i := 1 to 2 do
  for j := 1 to 3 do
    writeln('i=', i, ' j=', j);
  writeln('All done!');
```

James Tam

Testing Loops

Make sure that the loop executes the proper number of times.

Test conditions:

- 1) Loop does not run
- 2) Loop runs exactly once
- 3) Loop runs exactly “n” times

James Tam

Testing Loops: An Example

```
program testLoops (input, output);  
begin  
  var sum : integer;  
  var i   : integer;  
  var last : integer;  
  sum := 0;  
  i := 1;  
  write('Enter the last number in the sequence to sum : ');  
  readln(last);
```

James Tam

Testing Loops: An Example (2)

```
while (i <= last) do
  begin
    sum := sum + i;
    writeln('i=', i);
    i := i + 1;
  end;
  writeln('sum=', sum);
end.
```

James Tam

You Should Now Know

When and why are loops used in computer programs?

What is the difference between pre-test loops and post-test loops

How to trace the execution of pre and post-test loops

What are nested loops and how do you trace their execution

How to test the execution of loop

James Tam